


# PRODUCT DATA SHEET

## J2S series – J2S Venice



### DESIGN

- Made in Italy
- Ultraslim chassis
- Prestigious finishes and premium electronics
- Designed with the support of Virtual Reality
- EUIPO registered design: 007969670-0001

### FEATURES

- 3.200 **doses autonomy** of sanitizing gel (liquid one is suggested)
- 3 years **warranty** (with JMC gel)
- Possibility of **direct supply** of sanitizing gel
- **Premium electronic** components
- High **energy saving** components
- **Easy access** to the cabinet (with two lockable door)
- **No external plug** (power supply: integrated battery)
- **Floor fixing system** (bolting down option)
- 6 RAL JMC selected **colors** with "bucciato" painting texture

## SPECIFICATIONS

### COMPONENTS

#### STANDARD

- Programmable electronic sanitizing **gel dispenser**
- High capacity sanitizing **gel tank** (3 Liters)
- Automated programmable pump working with **battery**
- Functional **shelf**

#### OPTIONAL

- Laser engraving of company **logo** in a 12x6 cm area
- Customized **color** painting between 109 RAL painting (matt, shiny or textured)
- **XL floor Basis** (Anti-tilt system without damage to the floor)



# PRODUCT DATA SHEET

## J2S series – J2S Venice




### TECHNICAL DATA

- Structure made of **Carbon Steel** ST37 (1mm)
- Thermosetting scratchproof powder
- Longer product life with anti-fingerprint protection
- Self supporting structure
- Electromagnetic compatibility testing
- **Batteries** (4x1,5V AA) life estimated: 50.000 cycles
- **CE** certification

### SIZE

- Weight: 17,6 Kg (aprox.) with empty gel tank
- Dim (w/o Floor system): (H) 1252 x (W) 260 x (D) 60 mm
- Dim (Standard floor system): (H) 1260 x (W) 350 x (D) 280 mm
- Dim (XL floor system): (H) 1260 x (W) 500 x (D) 500 mm

### DIMENSIONS



# PRODUCT DATA SHEET

## J2S series – J2S Rome



### DESIGN

- Made in Italy
- Ultraslim chassis
- Prestigious finishes and premium electronics
- Designed with the support of Virtual Reality
- Registered design: EUIPO 007969670-0002

### FEATURES

- 3.200 **doses autonomy** of sanitizing gel (liquid one is suggested)
- 3 years **warranty** (with JMC gel)
- Possibility of **direct supply** of sanitizing gel
- **Mask detection**
- **Body temperature** measurement and related alarm
- High **energy saving** components
- **Easy access** to the cabinet (with two lockable door)
- Possibility of **power supply** with LAN network port
- **Floor fixing system** (bolting down option)
- 6 RAL JMC selected **colors** with "bucciato" painting texture

## SPECIFICATIONS

### COMPONENTS

#### STANDARD

- Programmable electronic sanitizing gel **dispenser**
- High capacity sanitizing gel **tank** (3 Liters)
- **Batteries** (4x1,5V AA) life estimated: 50.000 cycles
- 7" **touchscreen**
- Thermal **camera**
- LAN **connection**
- Internal **cooling system**
- Functional **shelf**

#### OPTIONAL

- Laser engraving of company logo (**Your Logo**)
- Customized color painting (**Your Color**)
- **XL floor Basis** (Anti-tilt system without damage to the floor)



**Your Logo**



**Your Color**

# PRODUCT DATA SHEET

## J2S series - J2S Rome




### TECHNICAL DATA

- **Power supply:** DC12 V and/or LAN cable POE
- **Network connection:** LAN port or Wi-Fi
- Structure made of **Carbon Steel** ST37 (1mm)
- Thermosetting scratchproof powder
- Longer product life with anti-fingerprint protection
- Self supporting structure
- Electromagnetic compatibility testing
- **CE certification**
- **Temperature Accuracy:**  $\pm 0.3^{\circ}\text{C}$
- **Temperature monitoring distance:** 0.3m-1,8m

### SIZE


- Weight: 24,40 Kg (aprox.) with empty gel tank
- Dim (w/o Floor system): (H) 1692 x (W) 260 x (D) 60 mm
- Dim (Standard floor system): (H) 1700 x (W) 350 x (D) 280 mm
- Dim (XL floor system): (H) 1700 x (W) 500 x (D) 500 mm

### DIMENSIONS



# PRODUCT DATA SHEET

## J2S series – J2S Florence



## SPECIFICATIONS

### DESIGN

- Made in Italy
- Ultraslim chassis
- Prestigious finishes and premium electronics
- Designed with the support of Virtual Reality
- Registered design: EUIPO 007969670-0003

### FEATURES

- 3.200 **doses autonomy** of sanitizing gel (liquid one is suggested)
- 3 years **warranty** (with JMC gel)
- Possibility of **direct supply** of sanitizing gel
- **Mask detection**
- **Body temperature** measurement and related alarm
- **People counting** function
- High **energy saving** components
- **Easy access** to the cabinet (with two lockable door)
- **Power supply** with LAN network port
- **Floor fixing system** (bolting down option)
- 6 RAL JMC selected **colors** with "bucciato" painting texture

## COMPONENTS

### STANDARD

- Programmable electronic sanitizing gel **dispenser**
- High capacity sanitizing gel **tank** (3 Liters)
- Batteries (4x1,5V AA) life estimated: 50.000 cycles
- 10" **touchscreen**
- **AI programmable thermal camera** for face recognition, people flow/count & occupancy
- Totally fanless low power **pc**
- Internal **cooling** system
- LAN **connection**
- Functional **shelf**

### OPTIONAL

- Laser engraving of company logo (**Your Logo**)
- Customized color painting (**Your Color**)
- **Touchscreen**
- Wi-Fi **connection**
- **XL floor Basis** (Anti-tilt system without damage to the floor)



# PRODUCT DATA SHEET

## J2S series – J2S Florence




### TECHNICAL DATA

- **Power supply:** DC12 V and/or LAN cable POE
- **Network connection:** LAN port
- Structure made of **Carbon Steel** ST37 (1mm)
- Thermosetting scratchproof powder
- Longer product life with anti-fingerprint protection
- Self supporting structure
- Electromagnetic compatibility testing
- **CE certification**
- Temperature Accuracy:  $\pm 0.3^{\circ}\text{C}$  with black body,  $\pm 0.5^{\circ}\text{C}$  w/o
- Temperature monitoring distance: 1,5-3.0m
- Embedded **powerfull processor**
- Different **operating systems** (Windows, Linux or Android)
- SSD and Ram as needed
- **16:9 screen**, high durable and scratch resistance

### SIZE

- Weight: 25,7 Kg (aprox.) with empty gel tank
- Dim (w/o Floor system): (H) 1800 x (W) 260 x (D) 60 mm
- Dim (Standard floor system): (H) 1808 x (W) 350 x (D) 280 mm
- Dim (XL floor system): (H) 1808 x (W) 500 x (D) 500 mm

### DIMENSIONS



# PRODUCT DATA SHEET

## J2S series – J2S Milan



### DESIGN

- Made in Italy
- Ultraslim chassis
- Prestigious finishes and premium electronics
- Designed with the support of Virtual Reality
- Registered design: EUIPO 007969670-0004

### FEATURES

- 3.200 **doses autonomy** of sanitizing gel (liquid one is suggested)
- **Mask detection**
- **Body temperature** measurement and related alarm
- **People counting** function
- High **energy saving** components
- **Easy access** to the cabinet (with two lockable door)
- 3 years warranty (with JMC gel)
- Possibility of **direct supply** of sanitizing gel
- **Floor fixing system** (bolting down option)
- 6 RAL JMC selected colors with "bucciato" painting texture

## SPECIFICATIONS

### COMPONENTS

#### STANDARD

- Programmable electronic sanitizing gel **dispenser**
- High capacity sanitizing gel **tank** (5 Liters)
- **Batteries** (4x1,5V AA) life estimated: 50.000 cycles
- 21.5" **touchscreen**
- **AI programmable thermal camera** for face recognition, people flow/count & occupancy
- Totally fanless low power **pc**
- Internal **cooling** system
- Functional **shelf**
- LAN **connection**

#### OPTIONAL

- Laser engraving of company logo (Your Logo)
- Customized color painting (Your Color)
- Touchscreen
- Wi-Fi connection



Your Logo

Your Color



# PRODUCT DATA SHEET

## J2S series – J2S Milan




### TECHNICAL DATA

- **Power supply:** AC 220 V
- **Network connection:** LAN port
- Structure made of **Carbon Steel** ST37 (1mm)
- Thermosetting scratchproof powder
- Longer product life with anti-fingerprint protection
- Self supporting structure
- Electromagnetic compatibility testing
- **CE certification**
- Temperature Accuracy:  $\pm 0.3^{\circ}\text{C}$  with black body,  $\pm 0.5^{\circ}\text{C}$  w/o
- Temperature monitoring distance: 1,5–3.0m
- **Embedded powerful processor**
- Different **operating systems** (Windows, Linux or Android)
- SSD and Ram as needed
- 16:9 screen, high durable and scratch resistance

### SIZE

- Weight: 32 Kg (aprox.) with empty gel tank
- Dim (w/o Floor system): (H) 1800 x (W) 440 x (D) 60 mm
- Dim (Standard floor system): (H) 1809 x (W) 590 x (D) 480 mm

### DIMENSIONS





# PRODUCT DATA SHEET

## J2S series – J2S Milan Dehors



### DESIGN

- Made in Italy
- Ultraslim chassis
- Prestigious finishes and premium electronics
- Designed with the support of Virtual Reality
- Registered design: EUIPO 007969670-0004

### FEATURES

- 3.200 **doses autonomy** of sanitizing gel (liquid one is suggested)
- High **energy saving** components
- **Easy access** to the cabinet (with two lockable door)
- 3 years **warranty** (with JMC gel)
- Possibility of **direct supply** of sanitizing gel
- **Floor fixing system** (bolting down option)
- 6 RAL JMC selected **colors** with "bucciato" painting texture

## SPECIFICATIONS

### COMPONENTS

#### STANDARD

- Programmable electronic sanitizing gel **dispenser**
- High capacity sanitizing gel **tank** (5 Liters)
- **Batteries** (4x1,5V AA) life estimated: 50.000 cycles
- 21.5" **touchscreen**
- 3 mm enhanced **vandal proof glass**
- Totally fanless low power **pc**
- Internal **cooling** system
- Functional **shelf**
- LAN **connection**

#### OPTIONAL

- Laser engraving of company logo (**Your Logo**)
- Customized color painting (**Your Color**)
- **Touchscreen**
- **Wi-Fi** connection



Your Logo



Your Color

## PRODUCT DATA SHEET

### J2S series – J2S Milan Dehors




#### TECHNICAL DATA

- **Power supply:** AC 220 V
- **Network connection:** LAN port
- Structure made of **Carbon Steel** ST37 (1mm)
- Thermosetting scratchproof powder
- Longer product life with anti-fingerprint protection
- Self supporting structure
- Electromagnetic compatibility testing
- **CE certification**
- **Embedded powerful processor**
- Different **operating systems** (Windows, Linux or Android)
- SSD and Ram as needed
- **16:9 screen**, high durable and scratch resistance
- **high brightness screen** for sun exposure (1000 nits)
- IP65 rating display

#### SIZE

- Weight: 32 Kg (aprox.) with empty gel tank
- Dim (w/o Floor system): (H) 1800 x (W) 440 x (D) 60 mm
- Dim (Standard floor system): (H) 1809 x (W) 590 x (D) 480 mm

#### DIMENSIONS



# PRODUCT DATA SHEET

## J2S series – J2S Naples



### DESIGN

- Made in Italy
- Ultraslim chassis
- Prestigious finishes and premium electronics
- Designed with the support of Virtual Reality
- Registered design: EUIPO 007969670-0005

### FEATURES

- **Mask detection**
- **Body temperature** measurement and related alarm
- High **energy saving** components
- **Easy access** to the cabinet (with two lockable door)
- 3 years **warranty**
- **Floor fixing system** (bolting down option)
- Self supporting structure
- 6 RAL JMC selected **colors** with "bucciato" painting texture

## SPECIFICATIONS

### COMPONENTS

#### STANDARD

- 32" **touchscreen**
- **AI programmable thermal camera** for face recognition, people flow/count & occupancy
- Totally fanless low power **pc**
- Internal **cooling** system
- LAN **connection**

#### OPTIONAL

- Laser engraving of company logo (**Your Logo**)
- Customized color painting (**Your Color**)
- **Touchscreen**
- **Wi-Fi** connection
- **Vandal proof glass**



**Your Logo**



**Your Color**

## PRODUCT DATA SHEET

### J2S series – J2S Naples




#### TECHNICAL DATA

- **Power supply:** AC 220 V
- **Network connection:** LAN port
- Structure made of **Carbon Steel** ST37 (1mm)
- Thermosetting scratchproof powder
- Longer product life with anti-fingerprint protection
- Electromagnetic compatibility testing
- CE certification
- Temperature Accuracy:  $\pm 0.3^{\circ}\text{C}$  with black body,  $\pm 0.5^{\circ}\text{C}$  w/o
- Temperature monitoring distance: 1,5-3.0m
- **Embedded powerfull processor**
- Different **operating systems** (Windows, Linux or Android)
- SSD and Ram as needed
- **16:9 screen**, high durable and scratch resistance

#### SIZE

- Weight: 60 Kg (aprox.) with anti-vandal glass
- Dim (w/o Floor system): (H) 1810 x (W) 550 x (D) 100 mm
- Dim (Standard floor system): (H)1810 x (W) 700 x (D) 500 mm

#### DIMENSIONS



# PRODUCT DATA SHEET

## J2S series – J2S Agrigento



### DESIGN

- Made in Italy
- Ultraslim chassis
- Prestigious finishes and premium electronics
- Designed with the support of Virtual Reality
- Registered design: EUIPO 007969670-0008

### FEATURES

- 3.200 **doses autonomy** of sanitizing gel (liquid one is suggested)
- **Mask detection**
- **Body temperature** measurement and related alarm
- **People counting** function
- High **energy saving** components
- **Easy access** to the cabinet (with two lockable door)
- 3 years **warranty** (with JMC gel)
- Possibility of **direct supply** of sanitizing gel
- **Floor fixing system** (bolting down option)
- 6 RAL JMC selected **colors** with "bucciato" painting texture

## SPECIFICATIONS

### COMPONENTS

#### STANDARD

- Programmable electronic sanitizing gel **dispenser**
- High capacity sanitizer **tank** (5 Liters)
- **Batteries** (4x1,5V AA) life estimated: 50.000 cycles
- 27" **touchscreen**
- Totally fanless low power **pc**
- **QR code scanner**
- Compact 3" **printer**
- Internal **cooling** system
- LAN **connection**

#### OPTIONAL

- Laser engraving of company logo (**Your Logo**)
- Customized color painting (**Your Color**)
- **AI programmable thermal camera** for face recognition, people flow/count & occupancy
- Touchscreen
- **NFC** reader
- Smart **card dispenser**
- **A4 printer**
- **MSR**
- Functional **shelf**
- **Wi-Fi** connection
- **XL floor Basis** (Anti-tilt system without damage to the floor)



**Your Logo**



**Your Color**

## PRODUCT DATA SHEET

### J2S series – J2S Agrigento






#### TECHNICAL DATA

- **Power supply:** AC 220 V
- **Network connection:** LAN port
- Temperature Accuracy:  $\pm 0.3^{\circ}\text{C}$
- Temperature monitoring distance: 1,5-3.0m
- Temperature abnormal alarm
- Structure made of **Carbon Steel** ST37 (1mm)
- Thermosetting scratchproof powder
- Longer product life with anti-fingerprint protection
- Self supporting structure
- Electromagnetic compatibility testing
- Guaranteed stability in case of external solicitation
- **CE certification**

#### SIZE

- Weight: 55 Kg (aprox.) with empty gel tank
- Dim (w/o Floor system): (H) 1800 x (W) 580 x (D) 180 mm
- Dim (Standard floor system): (H)1808 x (W)700 x (D)600 mm

#### DIMENSIONS



# PRODUCT DATA SHEET

ADV series – J900



## DESIGN

- Made in Italy
- Ultraslim chassis
- Prestigious finishes and premium electronics
- Designed with the support of Virtual Reality
- Registered design: EUIPO 007969670-0007

## FEATURES

- **Tilted screen** for a better user experience
- High **energy saving** components
- **Easy access** to the cabinet (with two lockable door)
- 3 years **warranty**
- **Floor fixing system** (bolting down option)
- Self supporting structure
- 6 RAL JMC selected **colors** with "bucciato" painting texture

## SPECIFICATIONS

### COMPONENTS

#### STANDARD

- 32" **touchscreen**
- **PC**
- Internal **cooling** system
- LAN **connection**

#### OPTIONAL

- Laser engraving of company logo (**Your Logo**)
- Customized color painting (**Your Color**)
- **Floor fixing system**
- **Anti vandal glass**
- **Your 32" screen**
- **Touchscreen**
- Integrated **audio kit**
- **NFC**
- Video **camera**
- **Wi-Fi** connection



# PRODUCT DATA SHEET

ADV series - J900






## TECHNICAL DATA

- **Power supply:** AC 220 V
- Structure made of **Carbon Steel** ST37 (1mm)
- Thermosetting scratchproof powder
- Longer product life with anti-fingerprint protection
- Electromagnetic compatibility testing
- **CE certification**
- PC Dell Optiplex 3070
- Embedded powerful processor
- Different operating systems (Windows, Linux or Android)
- SSD and Ram as needed
- **16:9 screen**, high durable and scratch resistance

## SIZE

- Weight: 60 Kg (aprox.) with anti-vandal glass
- Dim (w/o Floor system): (H)1807 x (W)553 x (D) 100 mm
- Dim(Standard floor system): (H) 1814 x (W) 700 x (D) 500 mm

## DIMENSIONS





# PRODUCT DATA SHEET

ADV series – JS32



## DESIGN

- Made in Italy
- Ultraslim chassis
- Prestigious finishes and premium electronics
- Designed with the support of Virtual Reality
- Registered design: EUIPO 007969670-0006

## FEATURES

- High **energy saving** components
- **Easy access** to the cabinet (with two lockable door)
- 3 years **warranty**
- **Floor fixing system** (bolting down option)
- Self supporting structure
- 6 RAL JMC selected **colors** with "bucciato" painting texture

## SPECIFICATIONS


### COMPONENTS

#### STANDARD

- 32" touchscreen
- **PC**
- Internal **cooling system**
- **LAN connection**

#### OPTIONAL

- Laser engraving of company logo (**Your Logo**)
- Customized color painting (**Your Color**)
- **Floor fixing system**
- **Anti vandal glass**
- **Your 32" screen**
- **Touchscreen**
- Integrated **audio kit**
- **NFC**
- Video **camera**
- **Wi-Fi connection**



# PRODUCT DATA SHEET

ADV series – JS32




## TECHNICAL DATA

- **Power supply:** AC 220 V
- Structure made of **Carbon Steel** ST37 (1mm)
- Thermosetting scratchproof powder
- Longer product life with anti-fingerprint protection
- Electromagnetic compatibility testing
- **CE certification**
- **PC Dell Optiplex 3070**
- Embedded powerfull processor
- Different **operating systems** (Windows, Linux or Android)
- SSD and Ram as needed
- **16:9 screen**, high durable and scratch resistance

## SIZE

- Weight: 60 Kg (aprox.) with anti-vandal glass
- Dim (w/o Floor system): (H) 1810 x (W) 550 x (D) 100 mm
- Dim (Standard floor system): (H)1810 x (W) 700 x (D) 500 mm

## DIMENSIONS



# PRODUCT DATA SHEET

J-Gel



J-Gel is produced for JMC Group by GBCHEM Via Santa Eufemia, 8 - 25040 CORTE FRANCA (BS) - ITALIA Tel. +39 3464232984



## DESCRIPTION

- **Premium quality** hands sanitizer, enriched with vitamin E, extract of glycol and thyme essence.
- Cosmetic liquid **specifically designed** for **JTotem** dispenser.
- Product compliant with the **WHO** (World Health Organization) **directions** issued during the Covid-19 emergency period.
- ETHYL **ALCOHOL 83%** v/v.
- Delivered in a **5-litre** tank.
- With this gel the totem has an **extended warranty** of three years.

## INCI

ALCOHOL, AQUA, GLYCERIN, VITAMIN E, E.G. TIMO, OE TIMO

## PERFORMANCE

- Leaves skin **soft, hydrated** and **delicately perfumed** of thyme.
- Removes **bad odours**.
- To be used **without water**.

## HOW TO USE

1. Place your hand under the gel dispenser to activate the gel supply (**dosage 1ml**).
2. Rub hands for 30 seconds until it has completely dried out.

## BENEFICIAL PROPERTIES

Product enriched with:

- **Vegetal Glycerin**, so-called Glycerol widely used in the cosmetics industry thanks to its Antioxidant, emollient, moisturizing properties that can revitalize the face and the hair.
- **Vitamin E**, well-known for its antioxidant properties which help the body cells to protect themselves from the action of the free radicals, from air pollution and the UV rays. Vitamin E is also a great skin ally protecting it from premature aging. Not by chance it is also called the skinvitamin.
- **Thyme**, as glycolic extract and as essence with several properties among which the antimicrobial activity (mainly due to the chemotype linalool). Many studies confirm the thyme essential oil to be able to kill the fungus such as the Candida albicans, the Aspergillus niger and Cryptococcus neoformans (it is important to underline that thyme species in nature are so many and not all of their essential oils have shown the same effectiveness).

## WARNINGS



- Flammable liquid and vapour.
- Keep away from heat, hot surfaces, sparks, open flames or other sources of ignition.
- Avoid contact with eyes.
- Use only on skin with no wounds.
- Keep out the reach of children.